

## 2024 Evaluation Form

## ASR16

CREATING A CYCLE OF mobility

Inseam Range: 19" - 28"

The ASR16 is ideal for riders aged 7 to 16 years old who want to enjoy time riding with their friends and family. This tricycle features a highly adjustable slide seating system and a lower step-through height than our upright adaptive tricycles, allowing for easier transfers.




## ASR16 MODEL SPECIFICATIONS

Rider Age	7-16
Max Load (lbs)	225
Bike Weight (lbs)	73
Frame Height	34"
Total Length	73"
Bike Width	31"
Step-Through Height	14"

Measurements Include Rear Steering Handle and High Back Seating

Sizing Guide: Inseam 19" - 28"



## Tips For Choosing an Adaptive Bike

### 1. Measure Inseam

The measurement we use to ensure each rider gets the correct size of adaptive bicycle is called an inseam. To find an inseam, measure the distance between the bottom of the rider's heel to the top of the rider's inner thigh. Make sure the rider's inseam measurement matches the inseam range for the adaptive bicycle.

### 2. Know Your Accessories

We offer many different accessories to help people of all abilities experience freedom. Make sure to look through all of our available accessories to make sure the adaptive bike will work for the rider. More information on all of our accessories is available at: [www.freedomconcepts.com/product-lines/adaptive-bikes/accessories/](http://www.freedomconcepts.com/product-lines/adaptive-bikes/accessories/)

### 3. We Do Custom

If none of our current models of adaptive bicycles work for you, we are able to custom build a bicycle that will. Please contact us at 1-800-661-9915 for more information.

## RIDER INFORMATION

Rider's Name: \_\_\_\_\_ Male Female Height: \_\_\_\_\_ Inches \_\_\_\_\_ cm





















Date of Birth: \_\_\_\_\_ Weight: \_\_\_\_\_ Lbs \_\_\_\_\_ Kgs





Inseam: \_\_\_\_\_



Diagnosis: \_\_\_\_\_


# ASR16

- Inseam Range: 19" - 28" - SHADED ITEMS INCLUDED IN BASE MODEL PRICE

MODEL		FRAME ADD-ONS (Optional)	
 <p>The standard ASR16 model accommodates an inseam range of 19"-28".</p>		 <p>The ASR16 Wide Frame provides the rider with more stability. The width of this bike is 35" and has a length of 64" excluding the rear steering handle.</p>	
<input checked="" type="checkbox"/> <b>ASR 16</b> (ASR16)		<b>WIDE FRAME</b> (WIDE FRAME) *Adds 4" to width of frame	
FRAME COLORS- Select one			
Standard Options		Additional Options	
   		      	
<b>Candy Blue</b> (CANDY BLUE) (STD) <b>Hot Rod Purple</b> (HOT ROD PURPLE) (STD) <b>Electric Green</b> (GREEN) (STD) <b>Cherry Red</b> (RED) (STD)		<b>Arctic Teal</b> (TEAL) <b>Blaze Orange</b> (ORANGE) <b>Radiant Pink</b> (PINK) <b>Chrome</b> (CHROME) <b>Midnight</b> (BLACK) <b>Snow</b> (WHITE) <b>Fossil</b> (FOSSIL)	
<b>Custom Color</b> (CUSTOM COLOR) Please indicate custom color note here:		<b>Color combination</b> (COLORCOMBO) Please indicate primary frame color: Please indicate secondary accent color:	
DECAL OPTIONS - Select one		NAMEPLATE (Optional)	
<b>Racer</b> (STD) (6401432)  <b>Hibiscus</b> (STD) (6401443)  <b>Black &amp; White</b> (STD) (6401420) 		<b>Custom Nameplate</b> <b>Nameplate</b> (NAMEPLATE SP) Notes: 	
BELL & SQUEAKY HORN (Select one Bell & one Horn)			
<b>Bells</b> (STD) <b>Red</b> (5015014) <b>Blue</b> (5015011) <b>Purple</b> (5015013) <b>Gold</b> (5015012) <b>Black</b> (5015010)	<b>Squeaky Horns</b> (Optional) (STD) <b>Dog</b> (5015063) <b>Frog</b> (5015065) <b>Cat</b> (5015061) <b>Parrot</b> (5015070) <b>Orca</b> (5015067) <b>Dino</b> (5015062) <b>Penguin</b> (5015068) <b>Unicorn</b> (5015071) <b>Tiger</b> (5015069) <b>Shark</b> (5015072) <b>Turtle</b> (5015074) <b>Giraffe</b> (5015075)		
TIRE SELECTION - Select one			
			
<b>Smooth Solid Tires</b> (STD) (SMOOTH SOLID TIRES) Ideal for indoor and outdoor use, with limited speeds and/or with caregiver present	<b>Knobby Pneumatic</b> (2112254) Ideal for more independent riders, wanting to ride at faster speeds	<b>Smooth Pneumatic</b> (2112253) Ideal for more independent riders, wanting to ride at faster speeds	

HANDLEBAR OPTIONS - Select one			T-BAR SUPPORT HANDLE
			
<b>Hoop Handlebars (STD)</b> (2111001)	<b>Enclosed Hoop Handlebars</b> (2111003)	<b>Wide Handlebars</b> (2111007)	<b>T-Bar Support Handle</b> (2111469)

STEERING OPTIONS - Select Setup		REAR STEERING	REAR STEERING ADD-ONS	
<b>Unlocked Steering (STEERUNLOCKED)</b> <i>This option allows the rider to control the steering.</i>	<b>Locked Steering (STEERLOCKED)</b> <i>This option takes steering control away from the rider so the caregiver can have full control of the bike with the Rear-Steering Handle.</i>			
*Please note you can change the steering from unlocked to locked by using the Freedom Concepts multi-tool that comes with every bike.		<b>Rear Steering Handle (REAR STEER)</b>	<b>Pushbar Steering</b> (2125006) *Requires Rear Steering Handle	<b>Hoop Handlebar</b> (2125005) *Requires Rear Steering Handle

PROPULSION - Please fill out one column			
<b>Direct Drive (STD) (DIRECT DRIVE)</b>  <i>When the bike is moving, the pedals are moving.</i>  <b>Pedal Power</b>  <b>Extra Easy</b> (EXTRA_EASY)  <b>Easy (EASY)</b>  <b>Average (AVERAGE)</b>  <b>Challenging (CHALLENGING)</b>	<b>Free Wheel (FREE WHEEL)</b>  <i>Allows legs to rest while the bike coasts forward.</i>  <b>Pedal Power</b>  <b>Easy (EASY)</b>  <b>Average (AVERAGE)</b>  <b>Challenging (CHALLENGING)</b>	<b>On/Off Pin Reciprocator (ON-OFF)</b> <i>Alternate from Free Wheel mode or Direct Drive by engaging the On/Off Pin Reciprocator.</i>  <b>Pedal Power</b>  <b>Easy (EASY)</b>  <b>Average (AVERAGE)</b>  	<i>*Please Note: Pneumatic Tires are required for selections in this column.</i>  <b>Nexus 8 Speed Drive</b> (2012091)  <b>5-Speed Coaster Brake with Reverse</b> (2060016)  <b>Shifter Location:</b>  <b>Right (SHIFTHB) Handlebar</b>  <b>Rear Steering Handle (SHIFTRS)</b>  <b>T-Bar (SHIFTTB)</b>

## Seating System

Please Fill Out Either The Child Set Up or The Adult Set Up

Please note that all seat bases come with a seat belt and all high-back back rests come with a chest strap

<b>Child Seat</b>	<b>12.5" width, 12.5" depth</b>
<b>Child High-Back</b>	<b>13" width, 18" height</b>
<b>Adult Seat</b>	<b>16.75" width, 14" depth</b>
<b>Adult High-Back</b>	<b>17" width, 18" height</b>



The 2" raised pommel keeps riders further back in their seats while helping with stability and promotes leg abduction.



A narrow seat aids in clearance and in pass-through. The nose of the seat is slightly narrower to aid with pedaling.



The standard seat will fit and function for most riders.

CHILD SET UP	ADULT SET UP
<b>Seat Base</b> <b>Child Seat</b> (STD) (2114060) <b>Child Narrow Seat</b> (6114014) <b>Child Pommel Seat</b> (6114010) <b>Child Narrow Pommel Seat</b> (6114016)  <b>Four-Point Neoprene Hip Stabilizer Belt</b> (2125273) *OPTIONAL  <b>Back Rest</b> <b>Child High-Back</b> (STD) (2114007)	<b>Seat Base</b> <b>Adult Seat</b> (6114015) <b>Adult Narrow Seat</b> (6114017) <b>Adult Pommel Seat</b> (6114018) <b>Adult Narrow Pommel Seat</b> (6114020)  <b>Four-Point Neoprene Hip Stabilizer Belt</b> (2125274) *OPTIONAL  <b>Back Rest</b> <b>Adult High-Back</b> (2114020)







## SEATING ACCESSORIES (Optional)

<b>Neoprene Chest Harness</b> 	<b>Laterals</b> <i>(Width and height adjustable, comes with an adjustable track system)</i> 	<b>Flip-Up Abductor</b> 
<b>Medium</b> (2114077)  <b>Large</b> (2114078)  <b>Extra Large</b> (2114079)	<b>Pair of Standard Small Laterals</b> (2114070) <i>Small Laterals Chest Width: 8½" - 11¼"</i>  <b>Pair of Standard Large Laterals</b> (2114072) <i>Large Laterals Chest Width: 12"-15"</i>  Chest Width: _____ Seat-to-Armpit: _____  <b>Laterals Add-On:</b> <b>Narrow Laterals</b> (2125033) <i>*Shifts chest width range 2" narrower</i>	<b>Flip-Up Abductor</b> (2020205)  <i>This flip-up abductor assists with leg/knee separation during pedaling and is mounted securely to the underside of the seat.</i>

## HEADRESTS (Optional)



		
<b>Adjustable Backrest Extension</b> (HEADREST)  <i>The adjustable headrest extends the seat backing height an additional 7" and can be removed for ease of transport.</i>	<b>Adjustable Headrest with Occiput Support Cushion</b> (HEADREST PLUS)  <i>The adjustable headrest with an occiput support cushion provides additional neck support for the rider. The cushion comes with velcro and can be removed or adjusted as required.</i>	<b>Head and Neck Support</b>  <b>*Please call 1-800-661-9915 for sizing and part number. In some cases we are able to adapt our seatback to accommodate common wheelchair headrests.</b>

## PEDAL OPTIONS - Select one

			
<i>Mountain Pedals are recommended for riders that have more control and high tone muscle control.</i>	<i>The Neoprene adjustable footplate is a quick and easy way to maintain proper positioning and pedal pressure. Recommended for children with low muscle tone.</i>	<i>Molded ABS Footplates are designed to provide precise positioning for children with more spasticity. They also help with leg alignment and knee flexion.</i>	<i>Molded ABS Footplates with Ratchet Straps helps to secure the riders foot in a specific position. Recommended for children with plantar flexion.</i>
<b>Mountain Pedals with Toe Cage</b> (2112081) (STD)	<b>Neoprene Adjustable</b>  <b>SML</b> (2012031) *4" x 7"  <b>MED</b> (2012032) *4½" x 10"  <b>*LRG</b> (2012033) *5" x 11½"	<b>Molded ABS</b>  <b>SML</b> (2012042) *3" x 7"  <b>MED</b> (2012043) *3" x 10¼"  <b>*LRG</b> (2012044) *3½" x 11½"	<b>Molded ABS with Ratcheting Straps</b>  <b>SML</b> (2012052) *3" x 7"  <b>MED</b> (2012053) *3" x 10¼"  <b>*LRG</b> (2012054) *3½" x 11½"

**\*Please note: Front Pulley String is required for LRG footplates**

## PEDAL ADD-ONS - (Optional)

	
<b>1/4 Inch Footplate Spacers</b> (2412050) Please add how many spacers are needed below. (Maximum 8 per side)  _____ left + _____ right = _____ total	<b>Pulley String</b> <i>Front pulley assists with plantar flexion</i>  <b>Front</b> (2115020)

## CHAINGUARD - Select one

	
<b>Heavy Duty Steel Chainguard</b> (STD CHAINGUARD) (STD)	<b>ABS Enclosed</b> (ABS ENCLOSED)  <b>*Recommended for multi-user environments.</b>

## BRAKE OPTIONS AND POSITIONS

### Select Front Brake Position (Included)

**\*Please select one option**

**Left Handlebar** (2113432) \*Not Available with High Rise Handlebars

**Right Handlebar** (2113431) \*Not Available with High Rise Handlebars

**Rear Steering Handlebar** (2113433) \*Rear Steering Handle Required

**T-Bar** (2113434) \*T-Bar Required

### Select Rear Brake Position (Included)

**\*Please select one option - must differ from front brake position**

**Left Handlebar** (2113422) \*Not Available with High Rise Handlebars

**Right Handlebar** (2113421) \*Not Available with High Rise Handlebars

**Rear Steering Handle** (2113423) \*Rear Steering Handle Required


**T-Bar** (2113424) \*T-Bar Required

### CRANK ARMS - Select one

**3" Alloy Crank** (N/C)  
(5012252)

**4" Alloy Crank** (STD)  
(5012254) \*Recommended

**5" Alloy Crank** (N/C)  
(5012255)



### Crank Arm Length Shortener

\*reduces length by 1/2" (optional)

**Left Side** (2012049)

**Right Side** (2012050)

**Both Sides** (2012047)

### BRAKE ADD-ON (Optional)

**Adjustable Drag Brake** (2013215)

\*T-Bar Support Handle or Rear Steer Required

### FRONT FORK - Select one



**Rigid Chrome Fork** (STD)  
(5011016)

### ACCESSORIES - (Optional)



#### Velcro Hand-Eye Coordination Gloves

**XS** (6315031) **SML** (6315033)  
5½" height x 1¾" wrist 6" height x 2" wrist

**MED** (6315034) **LRG** (6315035)  
7" height x 2¾" wrist 8" height x 3¾" wrist



#### Indoor Stationary Trainer

(2022216)



#### Leg Braces

\*Only available with molded footplates.  
\*Requires Rear Pulley.

**Left Side Only**  
(LEG BRACE L)

**Right Side Only**  
(LEG BRACE R)

**Pair** (LEG BRACE PAIR)

Inseam: \_\_\_\_\_

Calf Circumference: \_\_\_\_\_

\*Measurement with AFO's\*



#### Rear Platform

(REAR PLATFORM)



#### Removable Canopy

(6515011)

\*Requires T-Bar or Rear Steer

### ACCESSORIES - (Optional)



**Spoke Covers (3)**  
(2112241)



#### Adjustable Tablet/Phone Holder

**Tablet** (5025070)

**Phone** (5025080)



**Cane/Crutch Holder**  
(2125060)



**Padded Adduction Strap**  
(6320060)

## ACCESSORIES - (Optional)



**Communication Tray**  
(2125281)



**Simulated Sheepskin Cover**

**Child Seat** (6114070)

**Adult Seat** (6114080)



**Mirror**  
(5015040)



**Tool Pouch**  
(6300022)



**Bike Cover**  
(6315604)

### CUSTOMER INFORMATION

Dealer/Vendor: \_\_\_\_\_

Contact Person: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ Prov./State: \_\_\_\_\_

Postal/Zip Code: \_\_\_\_\_ Ordered by: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

Email: \_\_\_\_\_

### ORDER INFORMATION

Purchase Order: \_\_\_\_\_

Order Date: \_\_\_\_\_ Quote Date: \_\_\_\_\_

FCI Representative: \_\_\_\_\_

Payment Terms: \_\_\_\_\_

CREDIT CARD (CHECK ONE) ☐ Visa ☐ MasterCard Exp. Date: \_\_\_\_\_

Card Number: \_\_\_\_\_

Name On Card: \_\_\_\_\_

Signature: \_\_\_\_\_

### SHIPPING INSTRUCTIONS

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

Province/State: \_\_\_\_\_

Postal/Zip Code: \_\_\_\_\_ Phone: \_\_\_\_\_

Federal ID/SS#: \_\_\_\_\_

### PRIVACY POLICY

Freedom Concepts Inc. collects, uses and discloses personal information of the Customer and/or Rider to properly assemble and manufacture the mobility device and may contact the Rider's therapist for additional personal information to assist with this process. The collection, use and disclosure of the personal information of the Customer and/or the Rider is governed by any consent which may, from time to time, be provided, and by the Freedom Concepts Inc. Privacy Policy which is available on our website [www.freedomconcepts.com](http://www.freedomconcepts.com) or by contacting our office. By signing below, you hereby warrant that you have the authority to bind the Rider and hereby authorize the collection, use, and disclosure of personal information as herein provided and in accordance with the Freedom Concepts Inc. Privacy Policy.

### TERMS AND CONDITIONS

Prices are subject to change without notice. Prepaid or net 30 days O.A.C. All taxes extra. Freight extra. Manufacturer reserves the right to change prices, colors, features, dates, locations and products without notice. Residential delivery charge may apply. Duty and brokerage included where applicable.

\_\_\_\_\_  
CUSTOMER SIGNATURE

### PHOTO RELEASE

I hereby give permission to Freedom Concepts Inc. to use photographs of me or my child for the sole purpose of the company's promotional use, and will not be distributed to third parties. ☐ YES ☐ NO

I would like to receive regular updates. ☐ SNAIL MAIL ☐ EMAIL ☐ NO

\_\_\_\_\_  
SIGNATURE OF RIDER/PARENT

### NOTES: